



**Test and Measurement | Automation
Engineering Services | Projects
Calibration | Components**



OUR OFFERINGS



HIGH RESOLUTION OSCILLOSCOPES

SERIES	BANDWIDTH	ANALOG/DIGITAL CHANNELS	REAL-TIME SAMPLE RATE	MAX MEMORY DEPTH	VERSATILE TESTING EQUIPMENT*	SERIAL PROTOCOL ANALYSIS **
MSO8000HD	5 GHz - 8 GHz	4 / 16 (opt.)	20 GSa/s	2 Gpts (opt.)	Opt : B,C,G,H,J Std : A,D,E,F	1,2,3,4
UPO6000LP	350 MHz - 1 GHz	4/8 / -	5 GSa/s	500 Mpts	Std : A,D,E,F, H	1,3,5
MSO5000HD	350 MHz - 1 GHz	4 / 16 (opt.)	5 GSa/s	500 Mpts	Opt : B,C,G,H Std : A,D,E,F, I	1,4,3,5,6,7,8,9,10,11,12,13,14
MSO3000HD	200 MHz - 500 MHz	4 / 16 (opt.)	2.5 GSa/s	500 Mpts	Opt : B,C,G,H Std : A,D,E,F,I	1,3,5,7,9,10,11,12,13,14
UPO2000HD	70 MHz - 200 MHz	2/4 / -	2.5 GSa/s	100 Mpts	Opt : H Std : A,D,E,F,I	1,3,5,7,9,10,13
MSO1000HD	150 MHz - 250 MHz	4 / 16 (opt.)	2.5 GSa/s	100 Mpts	Opt : B,C,G Std : A,D,E,F,H	1,3,5,7,10
UPO1000HD	80 MHz - 100 MHz	2/4 / -	1.25 GSa/s	100 Mpts	Std : A,D,E,F, H	1,3,5



DIGITAL OSCILLOSCOPES

SERIES	BANDWIDTH	ANALOG/DIGITAL CHANNELS	REAL-TIME SAMPLE RATE	MAX MEMORY DEPTH	VERSATILE TESTING EQUIPMENT*	SERIAL PROTOCOL ANALYSIS **
MSO7000X	1 GHz - 2 GHz	4 / 16 (opt.)	10 GSa/s	1 Gpts	Opt : B,C,G,H,J Std : A,D,E,F	Opt: 7,8,9,10,11,13,14 Std: 1,2,3,5
UPO7000L	1 GHz - 2 GHz	4	10 GSa/s	1 Gpts	Opt : B,C,G,H Std : A,D,E,F,I	Opt: 7,8,9,10,11,13, Std: 1,2,3,5
MSO3000X	350 MHz - 500 MHz	4 / 16 (opt.)	5 GSa/s	500 Mpts	Opt : B,C,G,H Std : A,D,E,F,I	Opt: 5,7,9,10,11,13,14,12 Std: 1,3,5
MSO2000X	100 MHz - 300 MHz	4 / 16 (opt.)	5 GSa/s	100 Mpts	Opt : B,C,G Std : A,D,E,F,H	Opt: 5,7,9,10,13 Std: 1,2,3,5
UTD2000CEX+	50 MHz - 200 MHz	2	1 GSa/s	64 Kpts	Opt : H Std : A,D,E,F,I	Not Available
UTD2000CL+ /CL	25 MHz - 150 MHz	2	500 MSa/s	64 Kpts	Std : A,D,E,F, H	Not Available
UPO1000	50 MHz - 200 MHz	4	2 GSa/s	56 Mpts	Opt : H Std : A,D,E,F,I	1,3,5
UTD1000C	60MHz - 200 MHz	2	200 MSa/s-1GSa/s	7.5 Kpts	Opt : H Std : A,D,E,F,I	Not Available
UTD1000L	25 MHz - 50 MHz	1/2	250 MSa/s	12 Kpts	Std : A,D,E,F, H	Not Available
UPO1002	100 MHz - 200 MHz	2	1 GSa/s	56 Mpts	Std : A,D,E,F, H	1,3,5

* VERSATILE TESTING EQUIPMENT

A Digital Oscilloscope **B** Logic Analyzer **C** Function/arbitrary Waveform generator **D** Spectrum Analyzer **E** Digital Voltmeter
F Frequency Meter **G** Bode Plot Analyzer **H** Power Analyzer **I** Bandwidth Upgrade **J** Jitter Analysis **K** Matlab Embedded

** SERIAL PROTOCOL ANALYSIS

1 RS232 **2** 422/485 **3** 12C **4** 13C **5** SPI/UART/CAN/LIN **6** 1-WIRE **7** CAN-FD **8** CAN-XL **9** FLEXRAY
10 AUDIO **11** MIL-STD-1553B **12** MANCHESTER **13** SENT **14** ARINC429



WAVEFORM GENERATORS

SERIES	MAX. OUTPUT FREQUENCY	SAMPLE RATE	VERTICAL RESOLUTION	CHANNELS	ARBITRARY WAVE LENGTH	DISPLAY
UTG9000T+	500 MHz	2.5 GSa/s	16 bits	4	128 Mpts	10.1 inch TFT LCD (touch screen)
UTG9000T	600 MHz	2.5 GSa/s	16 bits	4	64 Mpts	10.1 inch TFT LCD (touch screen)
UTG4000X	250 MHz	2.5 GSa/s	16 bits	4	128 Mpts	10.1 inch TFT LCD (touch screen)
UTG4000A	200 MHz	500 MSa/s	16 bits	2	32 Mpts	8 inch TFT LCD
UTG2000X	120 MHz	625 MSa/s	16 bits	2	64 Mpts	4.3 inch TFT LCD
UTG1000X	40 MHz	200 MSa/s	16 bits	2	4 Kpts	4.3 inch TFT LCD
UTG900E	60 MHz	200 MSa/s	14 bits	2	4 Kpts	4.3 inch TFT LCD



RF SIGNAL GENERATORS

SERIES	FREQUENCY RANGE	FREQUENCY RESOLUTION	LEVEL RANGE	PHASE NOISE	MECHANICAL ATTENUATOR	DISPLAY
USG5000V	CW: 9kHz - 22GHz IQ: 5MHz - 6GHz	0.001 Hz	-135 dBm - +25 dBm	< -122 dBc/Hz(1GHz@20kHz)	Yes	5 inch TFT LCD (touch screen)
USG5000M	9kHz - 22GHz	0.001 Hz	-135 dBm - +25 dBm	< -122 dBc/Hz(1GHz@20kHz)	Yes	5 inch TFT LCD (touch screen)
USG3000V	CW: 9kHz - 6.5GHz IQ: 5MHz - 6GHz	0.001 Hz	-135 dBm - +25 dBm	< -122 dBc/Hz(1GHz@20kHz)	Yes	5 inch TFT LCD (touch screen)
USG3000M	9kHz - 6.5GHz	0.001 Hz	-135 dBm - +25 dBm	< -122 dBc/Hz(1GHz@20kHz)	Yes	5 inch TFT LCD (touch screen)



SPECTRUM / SIGNAL ANALYZERS

SERIES	FREQUENCY RANGE	RBW	PHASE NOISE	DNL	TRACE GENERATOR	DISPLAY	ANALYSIS BANDWIDTH
UTS7000A	2Hz-40GHz	1 Hz-3 MHz (10% step), 4,5,6,8,10 MHz	110 dBc/Hz @10kHz	167 dBm	/	11.6 inch TFT LCD (touch screen)	Max. 255 MHz (opt.)
UTS5000A	9kHz-26.5GHz	1 Hz-3 MHz (10% step), 4,5,6,8, MHz	107 dBc/Hz @10kHz	163 dBm	/	15.6 inch TFT LCD (touch screen)	40 MHz (opt.)
UTS3000A	9kHz-8.4GHz	1 Hz-10 MHz	102 dBc/Hz @10kHz	165 dBm	YES	10.1 inch TFT LCD (touch screen)	40 MHz (opt.)
UTS3000T+	9kHz-8.4GHz	1 Hz-3 MHz	98 dBc/Hz @10kHz	161 dBm	YES	10.1 inch TFT LCD (touch screen)	/
UTS3000B	9kHz-8.4GHz	1 Hz-3 MHz	98 dBc/Hz @10kHz	161 dBm	YES	10.1 inch TFT LCD (touch screen)	/
UTS1000B	9kHz-3.2GHz	1 Hz-1 MHz	98 dBc/Hz @10kHz	161 dBm	YES	10.1 inch TFT LCD (touch screen)	/



DC POWER SUPPLIES

SERIES	TYPE	CHANNELS	TOTAL POWER	OUTPUT VOLTAGE	OUTPUT CURRENT	RESOLUTION	SETTING ACCURACY	CONNECTIVITY
UDP6720	Switching	1	1500W	0-600V	0-110A	10mV , 10mA	V: <0.01%+20mV I: <0.1%+10mA	RS232, RS485, USB Host, USB Device, LAN
UDP6900	Switching	1	600W	0-150V	0-25A	0.1mV , 0.1mA	V: $\leq 0.03\% + 5\text{mV}$ I: $\leq 0.1\% + 5\text{mA}$	RS232, RS485, USB Device, LAN
UDP6700	Switching	1	360W	0-80V	0-30A	10mV , 1mA	V: $\leq 0.05\% + 10\text{mV}$ I: $\leq 0.2\% + 2\text{mA}$	RS-232
UDP5000	Switching	1	2000W	0-800V	0-200A	1mV , 1mA	V: $0.05\% + 0.05\% \text{FS}$ I: $0.5\% + 0.1\% \text{FS}$	USB Host, USB Device, LAN
UDP5000 Multi Channel	Switching	2/3	1200W	0-800V/CH	0-40 A/CH	1mV , 1mA	V: $0.05\% + 0.05\% \text{FS}$ I: $0.5\% + 0.1\% \text{FS}$	USB Host, USB Device, LAN
UDP4303S	Linear	4	297W	0-32V	0-3A	1mV , 1 μ A	V: <0.03%+8mV I: <0.15%+5mA	RS-232, USB Host, USB Device, LAN, Digital I/O, Sense
UDP3000S	Linear	4	328W	0-30V	0-5A	1mV , 1mA	V: <0.03%+10mV I: <0.2%+5mA	USB Device, RS-232, LAN, USB host, Digital I/O
UDP3000	Linear	3	315W	30V	5A	10mV/1mA	V: <(0.01%+3mV) I: $\leq (0.2\% + 3\text{mA})$	USB Device, RS-232
UTP3300-II	Linear	3	335W	32V	5A	10mV/1mA	V: <(0.01%+3mV) I: $\leq (0.1\% + 3\text{mA})$	/
UTP3300TFL-II	Linear	1	150W	30V	5A	10mV/1mA	V: <(0.01%+3mV) I: $\leq (0.1\% + 5\text{mA})$	/
UDP1000	Linear	1	192W	32V	6A	10mV/1mA	V: <(0.01%+3mV) I: $\leq (0.1\% + 3\text{mA})$	USB Device, RS-232



DC ELECTRONIC LOADS

SERIES	VOLTAGE	CURRENT	TOTAL POWER	RESOLUTION	MAX DYNAMIC FREQUENCY	CURRENT SLEW STATE	SIZE	CONNECTIVITY
UTL8500X+	500V	240A	200W-3000W	0.01mV/0.01mA	50kHz	0.0006A/ μ S-24A/ μ S	1/2 2U, 2U, 4U	RS232
UTL8500+	150V	30A	150W/300W	0.01mV/0.01mA	50kHz	0.0006A/ μ S-3A/ μ S	1/2 2U	RS232
UTL8200+	150V	20A/40A	400W	1mV/1mA	5kHz	0.0006A/ μ S-3A/ μ S	1/4 4U	RS232, optional RS485



AC POWER SOURCES

SERIES	OUTPUT CAPACITY	VOLTAGE RANGE	CURRENT RANGE	RESOLUTION	CONNECTIVITY	SIZE
UAP500A/1000A	1000VA	L:150V;H:300V	L:4.2A;H:8.4A	0.01V/0.001A/0.001W/0.01Hz	RS-232C	3U



DIGITAL MULTIMETERS

SERIES	READING RESOLUTION	FASTEST TEST RATE	FREQUENCY RESPONSE	DC VOLTAGE ACCURACY IN A YEAR	CONNECTIVITY
UT8806E	6 ½	10,000rdgs/s	300kHz	0.0035%	USB(Device & Host), LAN, RS-232C, GPIB (optional)
UT8805E	5 ½	5,000rdgs/s	100kHz	0.015%	USB Host,USB Device,LAN,RS232
UT8804E	4 ½	3rdgs/s	100kHz	0.025%	USB Device
UT8803E	3 ½	3rdgs/s	100kHz	0.3%	USB Device



BATTERY TESTERS

SERIES	VOLTAGE RANGE	RESISTANCE RANGE	ACCURACY	CONNECTIVITY	SIZE	DISPLAY
UT3560+	0.01mV~100V/400V	0.1μΩ~3.2000kΩ	Voltage:0.01%, Resistance:0.5%	RS-232/485. USB Device, LAN, Handler	½ 2U	4.3" TFT LCD



MICRO OHM METERS

SERIES	MEASURING RANGE	MAX. TEST RATE	CONNECTIVITY	SIZE	DISPLAY
UT3515-Sx	Scan mode: 1μ – 200kΩ Single mode: 1 μΩ~2 MΩ	230ms/10CH	RS232, RS485 HANDLER, LAN	½ 2U	4.3" TFT LCD
UT3510+	1μΩ~20kΩ/2MΩ	100rdgs/s	RS232, RS485 HANDLER, LAN	½ 2U	4.3" TFT LCD



POWER METERS

SERIES	VOLTAGE RANGE	CURRENT RANGE	FREQUENCY RANGE	ACCURACY	MEASUREMENT MODE	CONNECTIVITY	SIZE	DISPLAY
UTE9800+	0.5V~600V	0.05mA~20.0A	40Hz~400Hz	± (0.4% reading + 0.1 range + 1 digit)	AC, DC, AC+DC	RS-232/RS-485	½ 2U	VA LCD
UTE323	75mV~600V	2.5mA~20A	DC, 0.1Hz~300kHz	±(0.1% rdg.+ 0.05% F.S.)	DC, RMS, VMean	LAN, USB, GPIB/RS-232	½ 2U	5" TFT LCD
UTE300	75mV~1000V	25uA~50A	DC, 0.1Hz~300kHz	±(0.1% rdg.+ 0.05% F.S.)	DC, RMS, MN	RS-232/GPIB(optional), LAN, USB	½ 2U	4.3" TFT LCD



HIPOT TESTERS

SERIES	CHANNELS	AC VOLTAGE	DC VOLTAGE	AC CURRENT	DC CURRENT	INSULATION RESISTANCE	DISPLAY	CONNECTIVITY
UT5470	1	0.050kV-10.000kV	0.050kV-12.000kV	0.001mA - 20mA	0.1μA - 10000μA	0.1MΩ-50GΩ	5" TFT LCD (touch screen)	RS232, RS485, USB Host, LAN, Handler
UT5320R-SxA	8	0.050kV-5.000kV	0.050kV-6.000kV	0.001mA-20mA	0.1μA-10.00mA	0.1MΩ-10GΩ	4.3" TFT LCD	RS232C, LAN RS485(optional)
UT5300+	1	0.050kV-5.000kV	0.050kV-6.000kV	0.001mA-20mA	0.1μA-10.00mA	0.1MΩ-10GΩ	4.3" TFT LCD	RS232C, LAN RS485(optional)



INSULATION RESISTANCE TESTERS

SERIES	TEST ITEMS	R RANGE	MEASUREMENT SPEED	VOLTAGE	R ACCURACY	DISPLAY	CONNECTIVITY
UT5583	IR, Leakage current	10kΩ-10TΩ	33rdgs/s	1V~1000V (DC)	1%	4.3" TFT LCD	RS232C, USB HOST, HANDLER FOOT, LAN, RS485(optional)



GROUND BOND TESTERS

SERIES	VOLTAGE RANGE	CURRENT RANGE	IMPEDANCE RANGE	DISPLAY	CONNECTIVITY
UT5140	3.00 V- 8.00 V	1.00 A- 40.00 A	0 mΩ - 600 mΩ	4.3" TFT LCD	USB Host, HANDLER, 232/485, LAN



ELECTRICAL SAFETY ANALYZERS

SERIES	MODE	ACW	DCW	IR	GB	DISPLAY	CONNECTIVITY
UT5400	ACW, DCW, IR, GB, GC, OSC	5kV/100mA	6kV/10mA	6kV/50GΩ	40A/600mΩ/8V	5" TFT LCD (touch screen)	RS232, RS485, USB Host, LAN, Handler



MULTI-CHANNEL TEMPERATURE LOGGERS

SERIES	CHANNELS	DISPLAY	TEMPERATURE RANGE	RESOLUTION	SCANNING SPEED	THERMOCOUPLE	CONNECTIVITY	SIZE
UT3200+	8/16/24/32/40/48	4.3" TFT LCD	-200~1800°	0.01°	10rdgs/s	J,K,T,E,S,N,B,R	RS-232,LAN	½ 2U

HANDHELD PRODUCT CATEGORIES



Renewable
Energy Tools



HVAC/R
tools



Solar MPPT
Meters



Digital
Multimeters



Clamp
Meters



Insulation
Resistance Testers



Laser Distance
Meters



Voltage
Detectors



Voltage &
Continuity Testers



Coating Thickness
Gauges



Electrical
Power Tools



Infrared
Thermometers



Infrared Medical
Thermometers



Temperature
Humidity Meters



Wind Speed
Meters



Infrared + Contact
Thermometer



Vibration
Testers



Air Quality
Monitors



Gas
Meters



Light
Meters



Tachometers



Laser Power
Meters



Earth Resistance
Meter



Digital RCD
Tester



Borescopes
Tester

HANDHELD PRODUCT CATEGORIES



Wood Moisture Meters



Manometers



Leeb Hardness Testers



Inductance Capacitance Meters



LCR Meters



Power Quality Analyzers



Digital Micro Ohm Meter



Acoustic Imager



High/Low Voltage transformer turns ratio tester



Hook Ammeters



Clamp Earth Resistance Testers



Cable Testers



Wire Trackers



USB Testers



LED Testers



Fibre Optical Cable Testers



Process Calibrator



Wall Scanning Tools



Laser Levels



Laser Rangefinders



Angle Meters



Pipeline Blockage Detectors



Radiation Dose Testers



Socket Testers



SMD Testers



Circuit Breaker Finders



Accessories



New Products



Renewable Energy Tools

Layout and Measuring Tools



- Wall Scanning Tools
- Laser Distance
- Meters
- Laser Levels
- Laser Rangefinders
- Angle Meters
- Pipeline Blockage
- Detectors
- Radiation Dose
- Testers

General Meters



- Digital Multimeters
- Clamp Meters
- Electrical Power Tools
- Power Quality Analyzers
- Socket Testers
- Voltage Detectors
- Voltage and Continuity Testers
- SMD Testers
- Circuit Breaker
- Finders

Environmental Testers



- Infrared Thermometers
- Infrared Thermometers (Medical)
- Temperature Humidity Meters
- Wind Speed Meters
- Sound Level Meters
- Contact Type Thermometers
- Infrared + Contact Thermometer
- Coating Thickness Gauges
- Vibration Testers
- Air Quality Monitors
- Gas Meters
- Light Meters
- Tachometers
- Laser Power Meters
- Wood Moisture Meters
- Manometers
- Leeb Hardness Testers
- HVAC/R Tools
- iENV

Electrical Power Testers



- Insulation Resistance Testers
- Earth Resistance Testers
- Digitak RCD Testers
- Inductance Capacitance Meters
- LCR Meters
- Digital Micro Ohm Meters
- Clamp Earth
- Resistance Testers
- Acoustic Imager
- High/Low Voltage transformer turns ratio tester
- Hook Ammeters
- Borescopes
- Cable Testers
- Wire Trackers
- USB Testers
- LED Testers
- Battery Testers
- Fibre Optical Cable
- Testers
- Process Calibrators

AC POWER SUPPLY



Regenerative Grid Load
ANRGL(F) Series



Regenerative Grid
Simulator ANRGL(F) Series



Programmable AC Power
Supply AN61(F) Series



Bidirectional Grid
Simulator ANBGS(F) Series



AC Power Supply
ANFH(F) Series



AC Power Supply
ANFC(F) Series / ANFS(F) Series



Programmable High Power
AC Power Supply ANFP(F) Series

BIDIRECTIONAL DC POWER SUPPLY



Bidirectional
Programmable DC Power
Supply ANEVH(F) Series



Battery
Simulator
ANEVS(F) Series



High Power Bidirectional
DC Power Supply
ANEVT(F) Series



Dual Channel Bidirectional
DC Power Supply
ANEVT-DA(F) Series

DC POWER SUPPLY



Wide Range Programmable
DC Power Supply
ANS3(F) Series



Programmable DC
Power Supply
AN51(F) Series



DC Power Supply
AN50(V3) (F)
Series



DC Power Supply
AN50(F)
Series

POWER ANALYZER



Multi-channel High Precision
Power Analyzer
ANS3(F) Series



Multi-channel
Power Analyzer
AN87600(F) Series



Multi-channel
Power Analyzer
AN87400G(F) Series



Three Phase
Power Analyzer
AN87330(F)

SAFETY ANALYZER



Intelligent Electrical Safety Comprehensive Analyzer
AN1640H(F) / AN1651H(F)



Efficient Electrical Safety Comprehensive Tester AN9640H(F) / AN9651H-C(F)



Small-volume Electrical Safety Tester AN9637B(F) / AN635B(F) / AN633B(F)



Battery Tester ANBTS7201(F) / ANBTS7503(F) / ANBTS7610(F)



Multi-channel Intelligent Electrical Safety Analyzer AN1636H(F) / AN1638H(F) / AN1639H(F)



Three-phase Electrical Safety Comprehensive Tester AN1651TH(F)

MOTOR TEST SCHEME

New Energy Vehicle Motor Solution AN83DX(F) Series

Home Appliance Motor Test Solution AN83BX(F) Series

Electric Vehicle Industry Motor Test Solution AN83HX(F) Series

Servo Industry Motor Test Solution AN83FX(F) Series

BLDC Industry Motor Test Solution AN83YX(F) Series

Motor Comprehensive Tester ANM4(F) Series

ELECTRONIC LOAD



High Voltage & High Power DC Electronic Load AN23600E(F) Series




AC/DC Electronic Load AN29(F) Series



Lower Power DC Electronic Load AN23500(F) Series



New Energy Vehicles



Home Appliance Industry

**High Temperature
Test Chamber**

**High-Low Temperature
(Humid Heat) Test Chamber**

**Rapid Temperature
Change Test Chamber**

**Two Chamber Cold and
Heat Shock Tester**

**Three Chamber Cold and
Heat Shock Tester**

**Walk-In High and Low
Temperature and Humidity
Test Chamber**

**High-Low Temperature
and Low Air Pressure
Test Chamber**

**Temperature-Humidity-
Vibration Comprehensive
Test Chamber**

**High-Temperature Aging
Chamber**

Salt-Spray Test Chamber

**High-Current Short Circuit
Tester**


**Explosion-Proof Box
Technical Solution**



CUSTOMS & INTEGRATED SYSTEMS

Special Purpose Machines | End of Line | Performance Test Bench

Electric Vehicle Lab Development Custom,
Automation, Integrated Solutions



Universal Relay Performance/
Endurance Test Rig



Thermostat Test Setup



Gear Position Sensor Test Rig

CLIENTELE

ORIGINAL EQUIPMENT MANUFACTURING CUSTOMERS



AUTOMATIONS CUSTOMERS



GOVT. & DEFENCE CUSTOMERS



TESTING AND CERTIFICATION CUSTOMERS



EMBEDDED CUSTOMERS



CALIBRATION LABS CUSTOMERS



SOLAR CUSTOMERS



ELECTROLYSER TEST STATION FUEL CELL TEST STATION



**Hydrozen offers the first
Make In India Fuel Cell Test Stations.**



Certified Technology by CSIR-NCL
(Govt. of India).



Standalone integrated unit with plug and play operation,
provides testing with all standard test protocols.




Range of variants are offered with standard features
and specifications.



Test station variants are available with load capacities
ranging from 500W to 5000W.



SOLDERING SOLUTIONS



- Hub Motor Test Bench
- Mid Motor Test Bench
- Gearbox Test Bench
- Vehicle Chassis Dyno for 2 & 3 Wheelers
- Special Purpose Machines for Axle Testing



1000v - 150A, 300A, 600A, 800A :
Rng Terminal a Pair of Red,
Black 2 Mtr / 5 Mtr



**Customized
Engineering
Solutions**

KT - 3000 SERIES		KT - 3000-2 SERIES	
KT-3201	1 CH, 32V/1A Regulated DC Power Supply	KT-3201-2	2 CH, 32V/1A Regulated DC Power Supply
KT-3202	1 CH, 32V/2A Regulated DC Power Supply	KT-3202-2	2 CH, 32V/2A Regulated DC Power Supply
KT-3203	1 CH, 32V/3A Regulated DC Power Supply	KT-3203-2	2 CH, 32V/3A Regulated DC Power Supply
KT-3205	1 CH, 32V/5A Regulated DC Power Supply	KT-3205-2	2 CH, 32V/5A Regulated DC Power Supply
KT-3210	1 CH, 32V/10A Regulated DC Power Supply	KT-3210-2	2 CH, 32V/10A Regulated DC Power Supply
KT-3220	1 CH, 32V/20A Regulated DC Power Supply	KT-3220-2	2 CH, 32V/20A Regulated DC Power Supply
KT-3230	1 CH, 32V/30A Regulated DC Power Supply	KT-3230-2	1 CH, 32V/30A Regulated DC Power Supply
KT - 5000 SERIES		KT - 5000-2 SERIES	
KT-5020	1 CH, 32V/1A Regulated DC Power Supply	KT-5020	2 CH, 50V/20A Regulated DC Power Supply
KT-5030	1 CH, 32V/2A Regulated DC Power Supply	KT-5030	2 CH, 50V/30A Regulated DC Power Supply
KT-5060	1 CH, 32V/3A Regulated DC Power Supply	KT-5060	2 CH, 50V/60A Regulated DC Power Supply
KT-50100	1 CH, 32V/5A Regulated DC Power Supply	KT-50100	2 CH, 50V/100A Regulated DC Power Supply
OPTIONAL FEATURE : FOR PLC / AUTOMATION APPLICATION PURPOSE			
KT-IM	Current Monitor Interface		
KT-VM	Voltage Monitor Interface		
KT-IM & IC	Current Monitor and Control Interface		
KT-IM & IC	Voltage Monitor and Control Interface		
KT-OVP	Over Voltage Protection (Fixed / Variable)		
KT-ACIP	Input Voltage : 115Vac +/- 10%		
KT-RK	Rack Mounting		
KT-TTL	TTL Compatible Active ON / OFF		



THANK YOU

We Appreciate Your Interest in Our Products and Solutions

For any assistance regarding quotations, order processing, technical support, applications, or logistics, please feel free to contact our team.



Applications Team
9156159621 / 9156156159
fae@klartechsolutions.com



Sales Team
9975079338 / 9156156159
sales@klartechsolutions.com
saurabh@klartechsolutions.com



Accounts Team
+91 91560 27166
account@klartechsolutions.com



Operations Team
+91 93093 20868
accounts@klartechsolutions.com